## **Suprep Colonoscopy Prep Instructions (Sodium Sulfate, Potassium Sulfate and Magnesium Sulfate)**

\*\*Try to avoid fruits and vegetables 2 days before colonoscopy\*\*

Medications that must be stopped <u>FIVE</u> days before the procedure: Aspirin, Plavix, Eliquis, Pradaxa, Heparin, Xarelto, Coumadin (warfarin), and NSAIDS (e.g.: Motrin, Advil, Naproxen, Celebrex, Ibuprofen) will need clearance from prescribing MD to stop

#### INSTRUCTIONS FOR THE DAY BEFORE COLONOSCOPY:

NO FOOD THE ENTIRE DAY BEFORE PROCEDURE

You must remain on a CLEAR liquid diet the entire day before your procedure.

Clear liquids include: Water, Strained fruit juices (no pulp) including apple, white Grape or white cranberry, Limeade or lemonade, Coffee or tea (do not use any Milk/cream, you may use sugar or lemon), Chicken/Beef broth, soda, Gatorade (no red/purple), popsicles (no red/purple), Jell-O (no red/purple). Please **do not** have any dairy products or **anything red/purple** in color. You can suck on hard candies (no red/purple). Also, you can use alcohol-free wipes or Vaseline to prevent anal skin irritation.

#### At 4:00 pm Mix first dose of Suprep

☐ Empty 1 bottle of liquid prep into the 16-ounce container that is supplied.
Add cold drinking water or Gatorade to the marked line of the container.
☐ Drink contents within 1 hour.
using a straw will help (not for bariatric patients)
☐ Drink 32 ounces of plain water over the next 3 hours.

### \*AT 8PM REPEATS THE SAME INSTRUCTIONS AS ABOVE\*

UNLESS YOU HAVE AN AFTERNOON, PROCEDURE READ INDICATIONS BELOW

### **THE DAY OF THE COLONOSCOPY:**

\*\*DO NOT eat or drink anything EXCEPT the preparation\*\*
With the exception of important meds only (blood pressure, heart and seizure meds)

# \*IF YOU ARE SCHEDULED 12PM OR LATER, DRINK 1st DOSE OF\* SUPREP @ 8PM THE EVENING BEFORE PROCEDURE, 2<sup>ND</sup> DOSE THE MORNING OF PROCEDURE @ 6AM

☐ Empty the 2nd bottle of liquid prep into the 16-ounce container that is supplied.	
☐ Add cold drinking water or Gatorade to the marked line of the container.	
☐ Drink contents within 1 hour prior to 8am ok to drink water until 9 am	

DO NOT take anything by mouth during this time (this includes any food, water tobacco products, gum, candies, etc.)